

2012 San Joaquin County Annual STD Report

Table 1: STD Cases, SJC, 2011 & 2012

	2011	2012
Gonorrhea	624	718
Chlamydia	3805	3615
Syphilis (all stages)	91	123
Primary	16	19
Secondary	28	55
Early latent (<1yr)	11	22
Late latent & unk. latent	32	26
Congenital	4	1
Neuro*	5	0

* Neurosyphilis is a sequela of syphilis and is not a stage of syphilis

Figure 1. Gonorrhea & Chlamydia Cases by City of Residence, SJC, 2012





Figure 2. Monthly Gonorrhea Trends, SJC, 2011 & 2012



* The increase in December 2011 reflects an artifact of reporting, and does not indicate a significant increase in cases.

Figure 3. Monthly Chlamydia Trends, SJC, 2011 & 2012




Table 2: Gonorrhea Cases by Age and Gender, SJC, 2012

Age category	Gonorrhea		
	Female	Male	Total
0-4	0	0	0
5-9	0	0	0
10-14	1	2	3
15-19	92	53	145
20-24	125	96	221
25-29	71	63	134
30-34	49	55	104
35-39	14	31	45
40-44	13	15	28
45-54	9	15	24
55-64	3	6	9
65+	0	3	3
unknown	0	0	0
TOTAL	377	339	716

*2 cases were of unknown gender

Table 3: Chlamydia Cases by Age and Gender, SJC, 2012

Age category	Chlamydia		
	Female	Male	Total
0-4	0	0	0
5-9	0	0	0
10-14	15	6	21
15-19	858	236	1094
20-24	1049	349	1398
25-29	372	196	568
30-34	170	105	275
35-39	76	43	119
40-44	40	30	70
45-54	27	16	43
55-64	6	5	11
65+	0	4	4
unknown	4	3	7
TOTAL	2617	993	3610

*5 cases were of unknown gender

Note: Morbidity is based on the date of report. Totals may change due to additions and/or deletions from the database.